

10/736610

Patent
Attorney's Docket No. 1018961-000066

CJC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

Takehisa Mori et al.

Patent No.: 7,470,246

Issued: December 30, 2008

Title: CENTRIFUGAL BLOOD PUMP
APPARATUS



REQUEST FOR CERTIFICATE OF CORRECTION

Certificate

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

MAY 18 2009

of Correction

Sir:

Issuance of a Certificate of Correction for the above-captioned patent is respectfully requested in accordance with the accompanying Form PTO-1050 (submitted in duplicate).

- ☐ The requisite government fee of \$100.00:
- ☐ is submitted herewith;
 - ☐ is authorized to be charged to Deposit Account No. 02-4800; or
 - ☐ charge to credit card. Form PTO-2038 is attached.
- ☒ It is believed that payment of a fee is unnecessary.
Attached is Form PTO-1050 indicating printer errors.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. § 1.20(a) that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800. This paper is submitted in duplicate.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: May 14, 2009

By: Matthew L. Schneider
Matthew L. Schneider
Registration No. 32,814

P.O. Box 1404
Alexandria, VA 22313-1404
703 836 6620

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of

Takehisa Mori et al.

Patent No.: 7,470,246

Issued: December 30, 2008

Title: CENTRIFUGAL BLOOD PUMP
APPARATUS



REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Issuance of a Certificate of Correction for the above-captioned patent is respectfully requested in accordance with the accompanying Form PTO-1050 (submitted in duplicate).

- ☐ The requisite government fee of \$100.00:
- ☐ is submitted herewith;
 - ☐ is authorized to be charged to Deposit Account No. 02-4800; or
 - ☐ charge to credit card. Form PTO-2038 is attached.
- ☒ It is believed that payment of a fee is unnecessary.
Attached is Form PTO-1050 indicating printer errors.

The Director is hereby authorized to charge any appropriate fees under 37 C.F.R. § 1.20(a) that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800. This paper is submitted in duplicate.

Respectfully submitted,

BUCHANAN INGERSOLL & ROONEY PC

Date: May 14, 2009

By: Matthew L. Schneider
Matthew L. Schneider
Registration No. 32,814

P.O. Box 1404
Alexandria, VA 22313-1404
703 836 6620

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,470,246
DATED : December 30, 2008
INVENTOR(S) : Takehisa Mori et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7, Line 35: change "comer" to --corner--.

Column 11, Line 24: change "hydrodynamic" to --hydrodynamic--.

Column 13, Line 21:

Change $Wd-less=Wh_2^2/(\mu ULB^2)=3s(1-s)/[a^3(1-s)+s]$

To $Wd-less=Wh_2^2/(\mu ULB^2)$
 $=3s(1-s)(a-1)/[a^3(1-s)+s]$

MAILING ADDRESS OF SENDER:

PATENT NO. 7,470,246

BUCHANAN INGERSOLL & ROONEY PC
P.O. Box 1404
Alexandria, VA 22313-1404

No. of additional copies



SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,470,246
DATED : December 30, 2008
INVENTOR(S) : Takehisa Mori et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 7, Line 35: change "comer" to --corner--.

Column 11, Line 24: change "hydrodnanic" to --hydrodynamic--.

Column 13, Line 21:

Change $Wd-less = Wh_2^2 / (\mu ULB^2) = 3s(1-s) / [a^3(1-s) + s]$

To $Wd-less = Wh_2^2 / (\mu ULB^2)$
 $= 3s(1-s)(a-1) / [a^3(1-s) + s]$

MAILING ADDRESS OF SENDER:

PATENT NO. 7,470,246

BUCHANAN INGERSOLL & ROONEY PC
P.O. Box 1404
Alexandria, VA 22313-1404

No. of additional copies



SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450